

 **100%**
MADE IN
GERMANY

 **100%**
MADE IN
GERMANY



LET'S
STAY IN
CONTACT

MOZART
FINEST IN CUTTING



FINEST IN CUTTING

MOZART AG
SCHMALZGRABEN 15
42655 SOLINGEN
GERMANY
FON +49-212-2209-0

MOZART-BLADES.COM

MOZART
FINEST IN CUTTING

THE RIGHT BLADE FOR EVERY APPLICATION

Keen blades have been the hallmark of Solingen's industry for centuries and it is here we made our home in 1923. As a family firm, now managed by the fourth generation, we manufacture millions of blades every year to the full satisfaction of our customers. With over 130 fully-qualified staff, we are today one of the world's leading manufacturers of blades for technical and industrial applications. Our products are in use wherever efficient cutting applications are required. Trapezoid and hooked blades for professional flooring experts, snap-off and scraper blades for painters and decorators, deburring cutters and blades for the plastics industry and special-purpose blades for processing fibers and fleece, for cutting film and numerous specialist blades for customer-specific applications form the foundations of our blade-development skills.

WHY MOZART?

- ✓ excellent value-for-money and consistently high quality
- ✓ 100% made in Solingen, Germany
- ✓ large standard range
- ✓ customer-specific adaptations
- ✓ support for your product development
- ✓ assistance with complex cutting challenges



MOZART
FINEST IN CUTTING

MOZART - UNCOMPROMISING PREMIUM QUALITY

MOZART blades are crafted in sophisticated production processes and do not leave the factory until stringent quality controls have been carried out. As one of the world's leading manufacturers of blades, MOZART is committed to Germany as a high-grade production location. Cutting-edge technology and highly accurate manufacturing methods guarantee the quality standard appreciated the world over: „100% made in Solingen“. To ensure this standard is maintained, MOZART has installed a certified quality management system to DIN EN ISO 9001.




MOZART BLADES

Quality
since 1923

★★★★★
MADE IN
SOLINGEN




FLOOR AND
WALL COVERINGS




hook blade

||| #110.065
↔ 51 x 18,8 x 0,63 mm
★ also available with TIN coating




super hook blade

||| #105.065
↔ 54 x 18,8 x 0,63mm
★ also available with TIN coating




safety hook blade

||| #112.064
↔ 51,2 x 18,8 x 0,63 mm
★ with extra narrow hook




scraper blade 100 mm

↔ 100 x 14 oder 17,4 mm
★ available from 0,40 - 0,50 mm thickness




concave blade

||| #160.065
↔ 59 x 18,8 x 0,63 mm




combi blade

||| #130.064
↔ 53,8 x 18,8 x 0,63 mm
★ blade back sharpened




hook blade

||| #104.064
↔ 51 x 18,8 x 0,63 - center hole 7,2 mm
★ also available with TIN coating




styrafoam blade 9 mm

||| #92.039
↔ 84,4 x 8,9 x 0,40 mm
★ unsegmented



trapezoid blade

||| #975.065
↔ 60 x 18,8 x 0,63 mm
★ also available with TIN coating



safety trapezoid blade

||| #906.065
↔ 53 x 18,8 x 0,63 - center hole 7,2 mm
★ with rounded tip




safety hook blade

||| #117.068
↔ 51 x 18,8 x 0,63 - center hole 7,2 mm
★ with rounded tip



styrafoam blade 18 mm

||| #980.050
↔ 109,4 x 17,9 x 0,50 mm
★ unsegmented



trapezoid blade

||| #900.065
↔ 53 x 18,8 x 0,63 mm
★ also available with TIN coating



snap-off blade 9 mm

||| #90.040
↔ 94,5 x 8,9 x 0,40 mm



snap-off blade 18 mm

||| #180.050
↔ 109,4 x 18 x 0,50 mm



trimmer blade

||| #8678.000
★ for MOZART Trimmer and SpeedTrimmer



snap-off blade 9 mm

||| #91.040
↔ 84,4 x 8,9 x 0,40 mm



snap-off blade 18 mm

||| #180.051
↔ 109,4 x 18 x 0,50 mm
★ extra wide, super sharp grinding, extra hard



spacer claw

||| #8679.000 PVC
#8700.000 Linoleum
★ for MOZART Trimmer and SpeedTrimmer



snap-off blade

||| #93.040
↔ 86 x 8,9 x 0,40 mm
★ 60° snap-off lines



snap-off blade 18 mm

||| #90180.051
↔ 109,4 x 18 x 0,50 mm
★ TiN coated, with extra wide, super sharp grinding, extra hard

MOZART S2

||| #1002.00
★ compact universal cutting knife, incl. protective cap and one blade 975.065



safety holster

★ safety holster for S2 knife, locking feature ensures safer transport



Please visit our YouTube channel to find more about our handles!

Allegro

||| #1000.00
★ robust universal cutting knife, incl. holster and 5 blades #975.065




precision cut knife with knurled screw

||| P2T (2514.02) slim knives for fine cuts
P1T (2515.04) powerful, ergonomically designed knife
★ for fast blade changes without tools



MOZART Trimmer

||| #1600.00
★ the easy but safe way to skive the welded seams in PVC and linoleum flooring



leather holster

||| #20.060
★ for MOZART Trimmer #1600.00, incl. a compartment for spare blades

18 mm snap-off knife

||| #6180.00
★ sturdy knife with steel blade guides incl. 3 blades 180.050



SpeedTrimmer

||| #1610.00
★ fast and ergonomic, the ideal tool for trimming welded seams in medium-sized and large projects




telescopic handle for SpeedTrimmer

||| #20.050 light weight version, (no figure)
#20.051 heavy duty version



9 mm snap-off knife

||| #4095.00
★ stainless steel knife, incl. snap-off tool and 3 blades 90.040



**REAL PROFESSIONAL
BLADES**



I N J E C T I O N
M O L D E D P A R T S



EVERY CUT IS AN ACCURATE CUT



workstation #20.031

safe, tidy storage for knife handles, incl. slots for blade dispenser and bin for used blades



Please visit our YouTube channel to find more about our handles!



also available in POS style packaging

precision-cut knife with oval-head Allen screw

prevents scratch damage to work pieces

P2 A (2514.00) slim knife for fine cuts

P1 A (2515.00) powerful, ergonomically designed knife

P1 AF (2515.02) as for P1 A, but with additional thread for attaching a mandrel

protective cap for P2 A (20.032)

protective cap for P1 A and P1 AF (20.038)

mandrel for P1 AF (20.039)



precision-cut knife with knurled screw

for fast blade changes without tools

P2 T (2514.02) slim knife for fine cuts

P1 T (2515.04) powerful, ergonomically designed knife


P1 TF (2515.05) as for P1 T, but with additional thread for attaching a mandrel

protective cap for P2 T (20.047)

protective cap for P1 T and P1 TF (20.046)

mandrel for P1 TF (20.039)

spare blades for precision-cut knives with Allen and knurled screw




at a glance



- 1 Micro-ventilated, non-slip handle ensures strain-free, safe and accurate cutting
- 2 Blade held by a single countersunk screw to enable rapid blade changing and firm fixation. Knurled screw version also available.
- 3 Tension-free blade fixing provides maximum protection against snapped blades
- 4 Transparent protective cap with integrated, flat-ended Allen key. In other words, you always have the right tool at hand for changing the blade
- 5 blades securely stored in safety dispenser

blades for precision-cut knives with 2 slotted screws



precision-cut handles with 2 slotted screws

P9 SS (2512.00) for blades with 2 oblonged holes



REAL PROFESSIONAL BLADES



MOZART BLADES
Quality since 1923
★★★★
MADE IN SOLINGEN

F I L M A N D F O I L



SLITTING BLADES

SPECIAL BLADES FOR CUTTING PLASTICS

injector blade ↔ 38 x 8 x 0,25 mm						
★ carbon steel	★ stainless	★ stainless + TiN	★ stainless + DC	★ tungsten carbide	★ ceramic	
#640.025	#642.025	#90642.025	#97642.025	#643.025*	#645.030*	

industrial blade ↔ 60 x 22 mm						
thickness	★ carbon steel	★ stainless	★ C-Stahl + TiN	★ stainless + TiN	★ stainless + DC	★ tungsten carbide
0,15 mm		#856.015		#90856.015		
0,20 mm	#856.022	#856.023	#90856.024	#90856.023	#97856.023	#857.023*

3-hole blade round corner ↔ 43 x 22 mm				
thickness	★ carbon steel	★ stainless	★ stainless + TiN	★ stainless + DC
0,10 mm	#40.010	#42.010		
0,15 mm	#40.015	#42.015	#90042.015	
0,20 mm	#40.020	#42.020	#90042.020	#97042.020
0,25 mm	#40.025*			
0,30 mm	#40.030	#42.030	#90042.030	#97042.030
0,40 mm	#40.040			

3-hole blade square corner ↔ 43 x 22 mm						
thickness	★ carbon steel	★ stainless	★ stainless + TiN	★ stainless + DC	★ tungsten carbide	★ ceramic
0,10 mm	#80.010					
0,15 mm	#80.015	#82.015	#90082.015	#97082.015	#83.015*	
0,20 mm	#80.020	#82.020	#90082.021	#97082.020	#83.020*	#84.030*
0,25 mm	#80.025*					
0,30 mm	#80.030	#82.030	#90082.030		#83.031*	
0,40 mm	#80.040					

cello blade extra wide bevel ↔ 57 x 18,8 x 0,40 mm						
★ carbon steel	★ stainless	★ carbon steel + TiN	★ stainless + TiN	★ carbon steel + DC	★ stainless + DC	★ tungsten carbide
#881.040	#881.044	#90881.040	#90881.044	#97881.040	#97881.044	#887.040*


cello blade narrow bevel ↔ 57 x 18,8 x 0,40 mm						
★ carbon steel						
#884.040						

cello blade one sided narrow blade ↔ 57 x 18,8 x 0,38 mm						
★ stainless						
#886.038						

industrial blade ↔ 43 x 22 mm			
thickness	★ carbon steel	★ stainless	★ stainless + TiN
0,10 mm	#310.010	#331.010	
0,15 mm	#310.015	#331.015	#90331.015
0,20 mm	#310.020		

*available on request



















packaging variant A
blades single wrapped
in paraffin



packaging variant B
100 - 350 blades
per MOZART blade box

packaging variant C
10 blades in plastic dispenser



 special blade #8237.001 ↔ 18 x 10 x 0,20 mm	 special blade #8237.000 ↔ 33,5 x 10 x 0,20 mm	 special 3-hole blade #450.020 ↔ 42 x 22,4 x 0,20 mm	
 special blade #8022.000 ↔ 45 x 15 x 0,30 mm	 special blade #8095.000 ↔ 51 x 14 x 0,50 mm	 special blade #8757.000 ↔ 45 x 31,9 x 0,80 mm	 special blade #8758.000 ↔ 30,4 x 25 x 0,50 mm
 special blade #809.025 ↔ 39,2 x 18,8 x 0,25 mm	 special blade #805.030 ↔ 39 x 18,8 x 0,30 mm	 single edge blade #610.030 ↔ 39,6 x 19,6 x 0,30 mm	 autostrop blade #600.030 ↔ 39 x 18,7 x 0,30 mm
 hot pelletizer blade #8933.000 ↔ 19 x 57 x 0,40 mm ★ carbon steel, 2 sided grinding	 hot pelletizer blade #8933.001 ↔ 19 x 57 x 0,40 mm ★ carbon steel	 hot pelletizer blade #8922.000 ↔ 46 x 12,7 x 0,63 mm ★ 1 sided, double bevel	 pentagonal blade #890.060 ↔ 63,7 x 67 x 0,60 mm ★ tungsten carbide
 toothed blade #80945.000 ↔ 85 x 30 x 1,5 mm	 toothed blade #80944.000 ↔ 65 x 30 x 1,5 mm	 toothed blade #80942.000 ↔ 32 x 41 x 1,5 mm	

REAL PROFESSIONAL BLADES












MOZART BLADES

Quality
since 1923
★★★★
MADE IN
SOLINGEN

G L A S S A N D
S T A P L E F I B E R S





STAPLE FIBER BLADES








	staple fiber blade Mark V ↔ 117,5 x 15,7 x 0,884 mm ★ stainless #80751.118 ★ stainless + TiN #92010.118 ★ stainless + TiCN #94010.118
	staple fiber blade Mark IV ↔ 74,6 x 15,7 x 0,884 mm ★ stainless #80750.076 ★ stainless + TiN #92005.076 ★ stainless + CrN #93005.076 ★ stainless + TiCN #94005.076
	staple fiber blade ↔ 64 x 7,9 x 0,884 mm ★ stainless #80756.000 ★ stainless + TiN #92021.000
	staple fiber blade ↔ 76,5 x 7,9 x 0,884 mm ★ stainless #80551.000 ★ stainless + TiN #92019.088
	staple fiber blade ↔ 64,4 x 12,1 x 0,884 mm ★ stainless #80785.001 ★ stainless + TiN #92014.063
	staple fiber blade ↔ 48 x 8 x 0,50 mm ★ carbon steel #80453.000 ★ stainless #80455.000
	staple fiber blade ↔ 48 x 7,9 x 0,884 mm ★ stainless #80451.001 ★ stainless + TiN #92017.048
	staple fiber blade Herkules ↔ 95 x 19 x 0,884 mm ★ stainless #80760.096 ★ stainless + TiN #92009.096 ★ stainless + CrN #93009.096 ★ stainless + TiCN #94009.096
	staple fiber blade Fleissner ↔ 140 x 18,9 x 0,884 mm ★ stainless #80765.140 ★ stainless + TiN #92002.140 ★ stainless + TiCN #94002.140



MOZART fiber blades are made from high quality strip steel using a precision process. The individual model series are precisely adapted to the respective application in the chemical and fiberglass industry.

High-alloy carbon and INOX steels are used for this, with a TiN or CrN coating on request to increase the wear resistance. The tightest tolerances and a perfect cut ensure the desired cutting quality and service life.

	staple fiber blade Neumag #80783.007 ↔ 16 x 8 x 0,48 mm		staple fiber blade Neumag #80782.000 ↔ 32,2 x 12,1 x 0,68 mm
--	--	---	---

GLASS AND CARBON FIBER BLADES

glass fiber blade ↔ 15,8 x 0,87 mm ↔ length 195 mm #80758.195 ↔ length 248 mm #80758.248 ★ grinding: 2 sided, double bevel	
glass fiber blade ↔ 81 x 15,8 x 0,884 mm #80755.081 ★ grinding: 1 sided, single bevel	
carbon fiber blade ↔ 304 x 18,8 x 0,63 mm #80699.304 ★ grinding: 1 sided, double bevel	
glass fiber blade ↔ 168 x 15,8 x 0,88 mm #80755.168 ★ grinding: 1 sided, single bevel	
glass fiber blade ↔ 178 x 15,8 x 0,87 mm #80755.177 ★ grinding: 1 sided, single bevel	
glass fiber blade ↔ 155 x 15,8 x 0,884 mm #80754.155 ★ grinding: 2 sided, double bevel	
glass fiber blade ↔ 135 x 8 x 0,30 mm #80686.000 ★ grinding: 2 sided, double bevel	

	glass fiber blade #80235.001 ↔ 22,3 x 8 x 0,25 mm		glass fiber blade #80261.000 ↔ 25,4 x 8 x 0,25 mm
---	--	---	--

Further blades styles on request



REAL PROFESSIONAL BLADES



INDIVIDUAL BLADE SOLUTIONS

In addition to its extensive standard program, **MOZART** also offers the right solution for your special cutting problem. Which cutting requirement can we help you with? We would be pleased to provide you with an offer for your custom-made blade.

1+

PROTOTYPES
From 1 piece

∞

LARGE BATCH PRODUCTION
From approximately 20,000 pieces
(depending on blade size)

0

MAXIMUM THICKNESS
1 mm

○


MATERIAL
Particularly high-alloy carbon
steel and stainless steel

TiN

COATING
Titanium nitride (TiN)
Titanium aluminum nitride (AlTiN)
Chromium nitride (CrN)
Titanium carbonitride (TiCN)

▶

GEOMETRY
One sided, single beveled
One sided, double beveled
Two sided, single beveled
Two sided, double beveled



Please send us a sketch, drawing or description
of your individual blade, we will answer your request
as quickly as possible.

FROM HIGH-GRADE STEEL TO THE PERFECT BLADE.

THE RECIPE FOR PERFECT BLADES

Highest-quality steel for the perfect MOZART blade.

At MOZART, we only process hand-picked strip steel sourced from certified suppliers. Every batch delivered is subjected to stringent quality checks in our laboratory before it is allowed to be used in production. Only steels that comply fully with our ambitious quality standards in terms of surface, edge quality, carbide density and carbide distribution are passed by our quality control experts and released for blade production.

FIRE AND ICE

MOZART ice-hardening

After blanking, our strip steel is hardened to the required degree in a three-stage process. The steel is heated in sensor-controlled straight-through furnaces in a hydrogen atmosphere. This is followed by the ice-hardening stage, at -80°C , and this is followed by a brief annealing stage to remove stresses. This high-precision process enables us to achieve the ideal mix of hardness and toughness, and very close tolerances of ± 1 HRC are standard in our production processes.



Mozart AG
company video

GRINDING TO THE CLOSEST TOLERANCES.

We know what customers want.

Does your cutting application benefit from a very specific grinding geometry? Whether one-sided or two-sided, single or double cutting edges, concave or roof-shaped - by making full use of our state-of-the-art grinding equipment, some of which is laser controlled, we are able to put virtually any customer-specific requirement into practice.

ONE-SIDED SINGLE BEVEL




ONE-SIDED DOUBLE BEVEL



TWO-SIDED SINGLE BEVEL



TWO-SIDED DOUBLE BEVEL




ground dimensions

a: Honed width
b: Honing angle
c: Ground width
d: Grinding angle

other dimensions

e: Blade width
f: Blade thickness
g: Blade length



MOZART COATINGS – FOR THAT EXTRA BOOST TO PRODUCT LIFETIME IN YOUR PRODUCTION PROCESS.

The right coating for every application.

- TiN** the most popular hard coating in the blade-making industry: provides high abrasive resistance and two to four-fold service lifetime extensions
- CrN** the considerably reduced inherent stress in comparison with TiN coatings makes CrN an interesting alternative in cutting applications involving higher bending loads
- TiCN** an excellent compromise between high abrasive resistance and low coefficient of friction
- DC** Outstanding abrasive resistance coupled with low coefficient of friction. As a result of its very high hardness, DC coatings are highly susceptible to localised pressure loads